

- [42]Walsh, E.S., Hoshizaki, T.B. (2012) Comparative analysis of the Hybrid III neckform to unbiased neckforms using a centric and non-centric impact protocol. *Proceedings of ASTM Symposium on the mechanism of concussion in sports*, 2012, Atlanta, GA, USA.
- [43]Padgaonkar, A.J., Krieger, K.W., King, A.I. (1975) Measurement of angular acceleration of a rigid body using linear accelerometers. *Journal of Applied Mechanics*, **42**(30): p.552–556.
- [44]Horgan, T.J., Gilchrist, M.D. (2003) The creation of three-dimensional finite element models for simulating head impact biomechanics. *International Journal of Crashworthiness*, **8**(4): p.353–66.
- [45]Horgan, T.J., Gilchrist, M.D. (2004) Influence of FE model variability in predicting brain motion and intracranial pressure changes in head impact simulations. *International Journal of Crashworthiness*, **9**(4): p.401–18.
- [46]Nahum, A.M., Smith, R., Ward, C.C. (1977) Intracranial pressure dynamics during head impact. *Proceedings of 21st Stapp Car Crash Conference*, 1977, New Orleans, LA, USA.
- [47]Trosseille, X., Tarrière, C., Lavaste, F., Guillon, F., and Domont, A. (1992). Development of a F.E.M. of the human head according to a specific test protocol. *In Proceedings of the 36th Stapp Car Crash Conference*, Seattle, Washington, USA.
- [48]Hardy, W.N., Foster, C.D., Mason, M.J., Yang, K.H., King, A.I., Tashman, S. (2001) Investigation of head injury mechanisms using neutral density technology and high-speed biplanar X-ray. *Stapp Car Crash Journal*, **51**: p.17–80.
- [49]Doorly, M.C., Gilchrist, M.D. (2006). The use of accident reconstruction for the analysis of traumatic brain injury due to head impacts arising from falls. *Computer Methods in Biomechanics and Biomedical Engineering*, **9**(6): p.371–377.
- [50]Post, A., Hoshizaki, T.B., Gilchrist, M.D., Brien, S., Cusimano, M.D., Marshall, S. (2015) Traumatic brain injuries: The influence of the direction of impact. *Neurosurgery*, **76**(1): p.81–91.
- [51]Shuck, L.Z., Advani, S.H. (1972). Rheological response of human brain tissue in shear. *Journal of Basic Engineering*, **94**(4): p.905-912.
- [52]Zhou, C., Khalil, T.B., King, A.I. (1995) A new model for comparing responses of the homogeneous and inhomogeneous human brain. *Proceedings of the 39th Stapp Car Crash Conference*, 1995, p.121-136.
- [53]Mendis, K., Stalnaker, R., Advani, S.A. (1995) Constitutive relationship for large deformation finite element modeling of brain tissue. *Journal of Biomechanical Engineering*, **117**(4): p.279–85.
- [54]Miller, K., Chinzei, K. (1997) Constitutive modelling of brain tissue: Experiment and theory. *Journal of Biomechanics*, **30**(11): p.1115–1121.
- [55]Miller, R., Margulies, S., et al. (1998) Finite element modeling approaches for predicting injury in an experimental model of severe diffuse axonal injury. *Proceedings of the 42nd Stapp Car Crash Conference*, 1998, Tempe, AZ, USA.
- [56]Post, A., Oeur, A., Hoshizaki, T.B., Gilchrist, M.D. (2014) Differences in Region Specific Brain Tissue Stress and Strain due to Impact Velocity for Simulated American Football Impacts. *Journal Sports Engineering and Technology*, p.1–11.
- [57]Takhounts, E.G., Hasija, V., et al. (2008) Investigation of Traumatic Brain Injuries Using the Next Generation of Simulated Injury Monitor (SIMon) Finite Element Head Model. *Stapp Car Crash Journal*, **52**: p.1-32.
- [58]Kimpura, H., Iwamoto, M. (2011) Mild Traumatic Brain Injury Predictors Based on Angular Accelerations During Impacts. *Annals of Biomedical Engineering*, **40**(1): p. 114–126.
- [59]Rowson, S., Duma, S. M., et al. (2012) Rotational Head Kinematics in Football Impacts: An Injury Risk Function for Concussion. *Annals of Biomedical Engineering*, **40**(1): 1-13.
- [60]McIntosh, A.S., Patton, D.A., Fréchède, B., Pierré, P., Ferry, E., Barthels, T. (2014) The biomechanics of concussion in unhelmeted football players in Australia: a case–control study. *BMJ Open*, **4**: p.1-9.
- [61]Wright, R.M., Post, A., Hoshizaki, B., Ramesh, K.T. (2013) A multiscale computational approach to estimating axonal damage under inertial loading of the head. *Journal of Neurotrauma*, **30**(2): p.102-118.
- [62]Kendall, M., Walsh, E.S., Hoshizaki, T.B. (2012b) Comparison between Hybrid III and Hodgson-WSU headforms by linear and angular dynamic impact response. *Journal of Sports Engineering and Technology*, **0**(0): p.1–6.